



**TUBES & ACCESSORIES**

Call Toll-Free 888-546-2531  
[www.kimble-chase.com](http://www.kimble-chase.com) • [info@kimble-chase.com](mailto:info@kimble-chase.com)

## Kontes - the NMR Tube of Choice!

Concentricity



Please see the cross reference chart on the inside back cover of this brochure to select the Kontes brand NMR tube that will best serve your application.

Wall Thickness

Camber

### Kontes Superior Quality

Kontes has provided superior quality NMR tubes for the marketplace for 40+ years. Manufactured from KIMAX® ASTM Type 1 borosilicate glass, their performance is guaranteed by state of the art manufacturing and inspection processes that check for the Big 3 in NMR tube manufacturing: wall thickness, concentricity and camber.

### Glass Specifications

KG-33 is a KIMAX® ASTM Type 1 Class A borosilicate glass with a high degree of thermal shock and a low coefficient of expansion. KG-33 glass is indicated for use in applications with large temperature changes and in various sealing techniques.

N-51A is a KIMAX® ASTM Type 1 Class B borosilicate glass and has a low coefficient of expansion for temperature changes.

### Features & Benefits

Closely monitored wall thickness	→	Consistent reproducible results
Carefully gauged wall uniformity (measured at ends of tube during rotation)	→	Reduced change of modulation sidebands and better concentricity
Carefully gauged tube straightness (measure of deflection at the middle of rotating tube)	→	Tubes with low camber deviations are ideal for higher frequency NMR spectrometers
KG-33 lowest thermal expansion glass tubing	→	Highest degree of thermal shock resistance for high temp applications and sealing to manifolds
N-51A low thermal expansion glass tubing	→	Ideal for ambient temperature applications
Thrift, disposable and high quality tubes available	→	Tubes for every laboratory budget
3mm, 5mm and 10mm tubes	→	Tubes for every NMR application
Caps, plugs, septa, racks, and tube washers	→	One stop shopping for all of your NMR needs

*“Kontes Brand NMR Tubes are designed for repeated use in all manufacturers’ spectrometers.”*

### About the Cover

NMR lab photo courtesy of Dr. Zhicheng (Paul) Xia, University of British Columbia, Canada.



**Call toll-free 1-888-546-2531**

## Highest Quality 5mm NMR Tubes

### Highest Quality 5mm Tubes, KG-33 Borosilicate Glass


Each and every precision 5mm NMR tube is 100% gauged to meet the most exacting standards. These tubes are ideal for sealing directly to vacuum manifolds, joints or valves. Caps attached.

Kontes Catalog No.	Wilmad Equivalent	Approx. MHz	Length, Inches	— Wall Thickness —		— Concentricity —		— Camber —		Case Qty.	Case Price
				Inches	mm	T.I.R. Inches	T.I.R. Microns	T.I.R. Inches	T.I.R. Microns		
897250-3000	542-PP-7	900	7	0.01475	0.38	0.0002	5	0.00015	3.8	5	189.76
897250-3008	542-PP-8		8	0.01475	0.38	0.0002	5	0.00015	3.8	5	212.22
897245-3000	541-PP-7	800	7	0.01475	0.38	0.0002	5	0.00015	3.8	5	131.96
897245-3008	541-PP-8		8	0.01475	0.38	0.0002	5	0.00015	3.8	5	138.16
897241-0000	535-PP-7	600-700	7	0.01475	0.38	0.0005	13	0.00025	6	5	103.91
897241-0008	535-PP-8		8	0.01475	0.38	0.0005	13	0.00035	9	5	113.14
897241-0009	535-PP-9		9	0.01475	0.38	0.0005	13	0.00045	11	5	119.39
897240-0000	528-PP-7	500	7	0.01475	0.38	0.0005	13	0.00025	6	5	73.71
897240-0008	528-PP-8		8	0.01475	0.38	0.0005	13	0.00035	9	5	81.45
897240-0009	528-PP-9		9	0.01475	0.38	0.0005	13	0.00045	11	5	88.65
897235-0000	527-PP-7	400	7	0.01475	0.38	0.001	25	0.0005	13	5	54.64
897235-0008	527-PP-8		8	0.01475	0.38	0.001	25	0.0006	15	5	60.06
897235-0009	527-PP-9		9	0.01475	0.38	0.001	25	0.0007	18	5	66.23
897230-0000	526-PP-7	300	7	0.01475	0.38	0.0015	38	0.001	25	5	46.47
897230-0008	526-PP-8		8	0.01475	0.38	0.0015	38	0.0011	28	5	51.55
897225-0000	507-PP-7	200	7	0.01475	0.38	0.002	51	0.0005	13	5	46.47
897225-0008	507-PP-8		8	0.01475	0.38	0.002	51	0.0006	15	5	51.55
897225-0009	507-PP-9		9	0.01475	0.38	0.002	51	0.0007	18	5	58.53
897220-0000	—	150	7	0.01475	0.38	0.002	51	0.001	25	5	35.26
897220-0008	—		8	0.01475	0.38	0.002	51	0.0011	28	5	38.84
897205-0000	506-PP-7	100	7	0.01475	0.38	0.0025	64	0.002	51	5	28.34
897205-0008	506-PP-8		8	0.01475	0.38	0.0025	64	0.002	51	5	32.47
897205-0009	506-PP-9		9	0.01475	0.38	0.0025	64	0.002	51	5	36.60
897200-0000	505-PP-7	100	7	0.01475	0.38	0.003	76	0.002	51	5	24.65
897200-0008	505-PP-8		8	0.01475	0.38	0.003	76	0.002	51	5	25.87
897200-0009	505-PP-9		9	0.01475	0.38	0.003	76	0.002	51	5	27.52

O.D., inches — 0.1955 (+0.0000 / -0.0005)    O.D., mm — 4.97 (+0.0000 / -0.013)  
I.D., inches — 0.1655 (+0.0005 / -0.0000)    I.D., mm — 4.20 (+0.013 / -0.0000)

Our precise, consistent tolerances give you the kind of accuracy you need.

Our prices provide outstanding value.



## 3mm and 5mm NMR Tubes



**5mm**  
TUBES

**Thrift &**  
Disposable Grade

### Thrift 5mm Tubes, N-51A Borosilicate Glass, Caps Attached

Kontes brand thrift tubes are manufactured from **KIMAX® N-51A borosilicate glass** and their performance is assured by state of the art manufacturing and inspection processes for camber and concentricity. Caps attached.

Kontes Catalog No.	Wilmad Equivalent	Approx. MHz	Length, Inches	— Wall Thickness —		— Concentricity —		— Camber —		Case Qty.	Case Price
				Inches	mm	T.I.R. Inches	T.I.R. Microns	T.I.R. Inches	T.I.R. Microns		
897150-0007	WG-1235-7	500	7	0.01475	0.38	0.0005	13	0.00025	6	5	33.82
897150-0008	WG-1235-8	500	8	0.01475	0.38	0.0005	13	0.00035	9	5	40.93
897140-0007	WG-1228-7	400	7	0.01475	0.38	0.0005	13	0.00025	6	5	24.00
897140-0008	WG-1228-8	400	8	0.01475	0.38	0.0005	13	0.00035	9	5	30.41
897130-0007	WG-1226-7	300	7	0.01475	0.38	0.0015	38	0.001	25	5	21.00
897130-0008	WG-1226-8	300	8	0.01475	0.38	0.0015	38	0.0011	28	5	26.35
897120-0007	WG-1208-7	200	7	0.01475	0.38	0.002	51	0.0005	13	5	16.00
897120-0008	WG-1208-8	200	8	0.01475	0.38	0.002	51	0.0006	15	5	19.23
897110-0007	WG-1206-7	>200	7	0.01475	0.38	0.002	51	0.001	25	5	14.61
897110-0008	WG-1206-8	>200	8	0.01475	0.38	0.002	51	0.0011	28	5	17.10



### Disposable Grade 5mm Tubes, N-51A Borosilicate Glass

Disposable grade NMR tubes. Each tube is supplied without sandblasted marking spot in a bundled multi-pack. Caps included but not attached.

Kontes Catalog No.	Wilmad Equivalent	Approx. MHz	Length, Inches	Wall Thickness (in.)	Case Qty.	Case Price
897193-0000	WG-5mm-Economy-7	100	7	0.015	25	76.61
897193-0008	WG-5mm-Economy-8	100	8	0.015	25	83.28
897193-0050	WG-1000-7-50	100	7	0.015	50	73.33
897193-7100	WG-1000-7-100	100	7	0.015	100	136.00
897193-8050	WG-1000-8-50	100	8	0.015	50	77.96
897193-8100	WG-1000-8-100	100	8	0.015	100	143.11

*Multi-pack tubes are available in any quantity that works for you.*

*Call 888-546-2531 for more information.*



**3mm**  
TUBES

### Highest Quality 3mm Tubes, KG-33 Borosilicate Glass, Caps Attached

Kontes Catalog No.	Wilmad Equivalent	Approx. Mhz	Length Inches	Wall Thickness (in.)	Concentricity T.I.R.*	Camber T.I.R.*	Case Qty.	Case Price
897840-0000	335-PP-7	600-800	7	0.01118	0.0005	0.00025	5	91.62
897840-0008	335-PP-8		8	0.01118	0.0005	0.00035	5	101.90
897835-0000	328-PP-7	500	7	0.01118	0.0010	0.0005	5	79.15
897835-0008	328-PP-8		8	0.01118	0.0010	0.0006	5	87.63
897830-0000	327-PP-7	400	7	0.01118	0.0015	0.0010	5	71.22
897825-0000	-	300	7	0.01118	0.0020	0.0005	5	71.22
897820-0008	307-PP-8		8	0.01118	0.0020	0.0011	5	71.22
897805-0000	305-PS-7	100	7	0.01118	0.0025	0.0020	5	66.26
897800-0000	305-PS-7	80	7	0.01118	0.0030	0.002	5	64.58
897800-0008	305-PS-8		8	0.01118	0.0030	0.002	5	65.96

**O.D. inches**— 0.1186" (+0.0000/-0.0005) **I.D. inches**— 0.0945" (+0.0005/-0.0000)

\*T.I.R. = Total Indicator Reading in inches

**Call toll-free 1-888-546-2531**

## 10mm NMR Tubes

### Disposable Grade 10mm Flat Bottom Tubes, N-51A Borosilicate Glass, without Caps

Kontes Catalog No.	Approx. Mhz	Length Inches	Wall Thickness (in.)	Case Qty.	Case Price
897300-0000	100	7	0.015	50	52.48
897300-0008	100	8	0.015	50	65.60

### Highest Quality 10mm Tubes, KG-33 Borosilicate Glass, Caps Attached

Kontes Catalog No.	Wilmad Equivalent	Approx. Mhz	Length Inches	Wall Thickness (in.)	Concentricity T.I.R.*	Camber T.I.R.*	Case Qty.	Case Price
897335-0000	513-7PP-7	360	7	0.0182	0.0015	0.0005	1	35.82
897335-0008	513-7PP-8	360	8	0.0182	0.0015	0.0005	1	38.87
897330-0000	513-5PP-7	150	7	0.0182	0.0020	0.0010	1	30.46
897330-0008	513-5PP-8	150	8	0.0182	0.0020	0.0010	1	34.22
897325-0000	513-3PP-7	80	7	0.0182	0.0030	0.0015	1	26.34
897320-0000	513-1PP-7	60	7	0.0182	0.0090	0.0020	1	18.25
897320-0008	513-1PP-8	60	8	0.0182	0.0090	0.0020	1	23.33

O.D. INCHES - 0.3937 (+0.0000/-0.0005) I.D. INCHES - 0.3569 (+0.0005/-0.0000)

\*\*T.I.R. = TOTAL INDICATOR READING IN INCHES.



897300

### Red Rubber Septa for 10mm Tubes

- Dual Seal, inside tube and outer sleeve
- Ideal for thin wall tubes
- Provides penetration point for syringe or cannulation additions

Useful as a closure or for sample outgassing. Soft, natural, red rubber allows easy penetration with a syringe needle.

Kontes Catalog No.	Fits Tube Size (mm)	Color	Case Qty.	Case Price
897098-0010	10	red	100	36.74



897098

### Highest Quality Round Bottoms

897320  
897325  
897330  
897335

### Polyethylene Pressure Caps in Assorted Colors for 10mm Tubes


A tight-fitting, polyethylene cap which stays in place even with a build-up of internal vaporization pressures.

Kontes Catalog No.	Wilmad Equivalent	Fits Tube Size (mm)	Color	Case Qty.	Case Price
897095-1001	521-C	10	red	100	15.76
897095-1021	521-C	10	black	100	15.76
897095-1071	521-C	10	green	100	15.76
897095-1081	521-C	10	yellow	100	15.76

Kontes Catalog No.	Wilmad Equivalent	Fits Tube Size (mm)	Color	Case Qty.	Case Price
897095-1011	-	10	assorted	100	15.76



897095



## NMR Specialty Tubes

Valved tubes make it easier to study difficult compounds.

897435

Threaded tubes facilitate reaction studies and sample storage.

897635

897735

Seal-off tubes protect against sample degradation.

897750

### Valved 5mm Tubes

KONTES brand valved NMR tubes are designed to improve sample handling during the investigation of volatile, air-sensitive or toxic compounds. Condensation of sample occurs directly into the NMR tube through the use of vacuum techniques. A special KONTES brand HI-VAC® valve maximizes sample recovery and permits resealing as opposed to the permanent "seal-off" method.

The HI-VAC valve features a borosilicate glass body and PTFE plug so that the sample is in contact with inert materials. The valve is greaseless, thereby eliminating the risk of sample contamination. The rotationally symmetrical design, with two lateral ports located near the valve seat, permits use at higher temperatures. A glass tube with a Viton® o-ring seal is used to connect the valved NMR tube to a vacuum system.

All sizes are precision grade and suitable for use in instruments with field strengths greater than 360 MHz.

Kontes Catalog No.	Tube Diam. (mm)	Length Inches	Wall Thickness (in.)	Concentricity T.I.R.*	Camber T.I.R.*	Case Qty.	Case Price
897435-0000	5	7	0.01475	0.0010	0.0005	1	118.71
897435-0008	5	8	0.01475	0.0010	0.0006	1	121.74

### Threaded 5 and 10mm Tubes with Caps and Septa

Ideal for use with air-sensitive samples and reaction studies where compounds may be added via syringe through the septum cap. For use in instruments with field strengths greater than 360 MHz. Borosilicate glass.

Kontes Catalog No.	Wilmad Equivalent	Description	Tube O.D.(mm)	Approx. Overall Length Inches	Case Qty.	Case Price
897635-0800	513-7TRA-7	NMR Tube, 8-425 Thread	5	7.5	1	30.77

### Seal-Off 5mm NMR Tubes

KONTES brand seal-off NMR tubes provide the best security against sample degradation during the investigation of volatile, air-sensitive or toxic compounds.

Manufactured from ASTM, Type 1, Class A, borosilicate glass. Overall length is 9". Construction opening 0.5 to 2.0 mm and is located 1.8" from the cap end of the tube leaving a 7.2" long tube after seal-off.

Each tube is supplied with a polyethylene cap and features a sand blasted marking spot for easy identification.

Kontes Catalog No.	Approx. MHz	Length, Inches	Wall Thickness (in.)	Wall Variation T.I.R.	Camber	Case Qty.	Case Price
897750-0245	>800	7.2	0.01475	0.0002	0.00015	5	218.88
897750-0240	>400	7.2	0.01475	0.0005	0.00025	5	139.58
897750-0235	>360	7.2	0.01475	0.0010	0.0005	5	107.83

\*T.I.R. = TOTAL INDICATOR READING IN INCHES.

**Call toll-free 1-888-546-2531**

## NMR Sealing Manifold

Now there is an easy way to evacuate and tip-off NMR tubes without additional sealing to other glass apparatus. NMR single and double port sealing manifolds have KONTES brand HI-VAC® valves for individually controlling each port. The double port manifold permits sealing one tube while the other remains under vacuum.

The NMR manifolds feature a BEVEL-SEAL™ threaded connection and a specially designed cap with an aluminum shield for heat deflection. Insert the NMR tube through the open top cap, place the o-ring over the open end of the tube, insert the tube into the BEVEL-SEAL thread, and tighten the cap onto the thread to make a vacuum seal.

The longer 5mm NMR tubes, 8 and 9 inch, are recommended for use with manifolds. A #2 hose connection is used for attaching the vacuum line (vacuum tubing is recommended). All o-rings supplied are Viton®. Valve plugs are 826501-0008.

Kontes Catalog No.	Description	O-Ring Size Shaft - Tip	Case Qty.	Case Price
897047-0001	NMR Manifold Complete	110 - 011	1	118.20

### Component Parts

897048-0001	NMR Manifold Only, Single	110 - 011	1	90.28
897049-0005	Cap, Shielded No. 5 Thread, Size 106 O-Ring		1	34.14



897047

Sealing manifolds provide easy, fast and economical ways to evacuate and seal NMR tubes.

## Polypropylene Sample Tube Rack

Polypropylene rack with carrying handles features an upper deck with holes and a lower deck support for tube ends. Dimensions: 8 3/8"L x 4 1/2"W x 8 3/4"H.

Kontes Catalog No.	Accommodates	Case Qty.	Case Price
897080-0005	72 - 3 or 5 mm tubes	1	37.91



897080

## Accessories



897096

### Sample Tube Pressure Caps, PTFE, for 3 and 5mm Tubes

NMR Tube caps for use with any 3 or 5mm NMR tubes. These PTFE caps are precision machined and offer the user a means of universal solvent compatibility. The caps are sold in packages of 25.

Kontes Catalog No.	Fits Tube Size (mm)	Color	Case Qty.	Case Price
897096-0003	3	White	25	86.19
897096-0005	5	White	25	119.85



897093  
897095

Assortment Packs include a variety of colors in each pack.

### Polyethylene Pressure Caps in Assorted Colors for 3, 5 and 10mm Tubes

A tight-fitting, polyethylene cap which stays in place even with a build-up of internal vaporization pressures.

Kontes Catalog No.	Wilmad Equivalent	Fits Tube Size (mm)	Color	Case Qty.	Case Price
897093-0001	-	3	red	100	9.19
897095-0001	521	5	red	100	10.02
897095-0021	521	5	black	100	10.02
897095-0061	521	5	white	100	10.02
897095-0071	521	5	green	100	10.02
897095-0081	521	5	yellow	100	10.02
897095-1001	521-C	10	red	100	15.76
897095-1021	-	10	black	100	15.76
897095-1071	521-C	10	green	100	15.76
897095-1081	521-C	10	yellow	100	15.76

Kontes Catalog No.	Wilmad Equivalent	Fits Tube Size (mm)	Color	Case Qty.	Case Price
897095-0011	-	5	assorted (20 each of red, black, white, green and yellow)	100	10.02
897095-1011	-	10	assorted (25 each of red, black, green and yellow)	100	15.76
897095-0012	-	5	assorted (100 each of red, black, white, green, blue and yellow)	600	38.37



897098

### Red Rubber Septa for 5, 7 and 10mm Tubes

- Dual Seal, inside tube and outer sleeve
- Ideal for thin wall tubes
- Provides penetration point for syringe or cannulation additions

Useful as a closure or for sample outgassing. Soft, natural, red rubber allows easy penetration with a syringe needle.

Kontes Catalog No.	Fits Tube Size (mm)	Color	Case Qty.	Case Price
897098-0005	5	red	100	36.74
897098-0007	7	red	100	36.74
897098-0010	10	red	100	36.74



897097

### White Rubber Septa for 5mm Tubes

Useful as a closure or for sample outgassing. Soft, natural rubber allows easy penetration with a syringe needle.

Kontes Catalog No.	Wilmad Equivalent	Fits Tube Size (mm)	Case Qty.	Case Price
897097-0001	521-S	5	100	27.19

Call toll-free 1-888-546-2531

## Accessories

### Polypropylene Funnel

Polypropylene construction with a lower fitting sized to accommodate 5mm NMR tubes. Disposable feature eliminates the possibility of cross contamination. Filter is a polyethylene disc or glass wool. Complete set consists of a reservoir, a column and a lower fitting.


Kontes Catalog No.	Description	Case Qty.	Case Price
420160-0000	Funnel Set (Unassembled)	100	123.46

#### Replacement Parts

420164-1000	Reservoir Only	50	30.28
420168-1000	Lower Fitting Only	50	22.87

#### Accessories

420162-0000	Polyethylene Disc, 30-50 Microns	100	35.89
420162-0020	Polyethylene Disc, 20 Microns	100	35.89



### Extended Tip Pipet

Extended tip NMR pipets for retrieving and adding sample in the NMR tube. Available in 7 and 9 inch tips.

Kontes Catalog No.	Wilmad Equivalent	Description	Case Qty.	Case Price
897085-0007	803	7" tip	100	72.05
897085-0009	803C	9" tip	100	74.05

### Washer for 5mm NMR Tubes

Designed to fit standard filtration assemblies available in most labs. The cap is positioned on the 5mm NMR tube bottom and inserted into the washer. Aspirator suction provides the motivating force to direct solvent stream into the 5mm NMR tube. An air stream aids the drying process after solvent reservoir empties. Supplied with one #8 silicone stopper.


Kontes Catalog No.	Description	Case Qty.	Case Price
897030-0005	5mm NMR Tube Washer	1	90.28

#### Replacement Parts


953763-0000	#8 Silicone Stopper, Pkg./ 5	5	93.74
-------------	------------------------------	---	-------

#### Accessories

953760-0000	1000 mL Filter Flask	1	57.93
-------------	----------------------	---	-------





## Accessories



### 5-Place NMR Tube Washer for 3mm and 5mm Tubes, Accommodates 7" and 8" Length Tubes

This design uses flexible PTFE tubing to direct a power wash stream of wash solvent to clean the inside of NMR tubes. A vacuum source (user supplied) is required. An o-ring is slipped over each tube to form a vacuum tight seal and is removed after washing. The complete unit is provided with a one liter reservoir bottle and all wetted parts are PTFE or borosilicate glass. When all tubes are positioned for cleaning, the wash valve is configured to either wash or dry; this action may easily be repeated, and cleaned tubes can be quickly removed for use.

Kontes Catalog No.	Description	Case Qty.	Case Price
897033-0003	3mm Tube Washer	1	473.72
897033-0005	5mm Tube Washer	1	473.72



### NMR Tube Washer for 10mm Tubes, Cuvettes and Cells

Recommended for 10mm NMR tubes. For rapid, safe washing and drying of cuvettes, cells, tubes and small scale volumetric items up to approximately 22mm O.D. Operates efficiently on a conventional sink aspirator. Flushing is activated by lightly pressing the inverted cell onto a neoprene gasket. Complete unit is supplied with one gasket. Hose connection is #2.

Kontes Catalog No.	Adapter ⚗ Joint	Flask ⚗ Joint	Flask Cap.(mL)	Approx. Overall Height (mm)	Case Qty.	Case Price
459960-0000	24/25	24/40	250	255	1	220.73


  

Catalog No.	Description	Case Qty.	Case Price
459961-0000	Cuvette Washer Only	1	104.28
459951-0000	Neoprene Gasket, Pkg./12	12	38.81
179850-2224	Vacuum Adapter, Size 22, ⚗ 24/25	1	84.58
617000-0424	Erlenmeyer Flask, ⚗ 24/40, 250 mL	1	27.58

## NMR Tube Cross Reference

Kontes No.	Wilmad	New Era	Norrell
897030-0005	-	NE-230-5	-
897033-0003	-	WG-232-3	-
897033-0005	-	WG-232-5	-
897047-0001	-	-	-
897048-0001	-	-	-
897049-0005	-	-	-
897080-0005	-	NE-330-5	-
897085-0007	803C	NE-201	-
897093-0001	-	NE-310-3	-
897095-0001	521	NE-310-5	-
897095-0011	-	-	-
897095-0012	-	-	-
897095-0021	521	-	-
897095-0061	521	-	-
897095-0071	521	-	-
897095-0081	521	-	-
897095-1001	521-C	NE-310-10	-
897095-1011	-	-	-
897095-1021	521-C	-	-
897095-1071	521-C	-	-
897095-1081	521-C	-	-
897096-0003	-	-	-
897096-0005	-	NE-312-5	-
897097-0001	521-S	-	-
897098-0005	-	-	-
897098-0007	-	-	-
897098-0010	-	-	-
897110-0007	WG-1206-7	NE-LL5-7	505-P-7
897110-0008	WG-1206-8	NE-LL5-8	505-P-8
897120-0007	WG-1208-7	NE-LL5-7	-
897120-0008	WG-1208-8	NE-LL5-8	-
897130-0007	WG-1226-7	NE-ML5-7	XR-55-7
897130-0008	WG-1226-8	NE-ML5-8	XR-55-8
897140-0007	WG-1228-7	NE-HL5-7	507-HP-7
897140-0008	WG-1228-8	NE-HL5-8	507-HP-8
897150-0007	WG-1235-7	NE-UL5-7	508-UP-7
897150-0008	WG-1235-8	NE-UL5-8	508-UP-8
897193-0000	WG-5mm-Economy-7	-	-
897193-0008	WG-5mm-Economy-8	-	-
897193-0050	WG-1000-7-50	NE-RG5-7	502-7
897193-7100	WG-1000-7-100	NE-RG5-8	502-8
897193-8050	WG-1000-8-50	-	ST-500-7
897193-8100	WG-1000-8-100	-	ST-500-8
897200-0000	505-PS-7	NE-LP5-7	-
897200-0008	505-PS-8	NE-LP5-8	-
897200-0009	505-PP-9	NE-LP5-9	-
897205-0000	506-PP-7	NE-LP5-7	-
897205-0008	506-PP-8	NE-LP5-8	-

Kontes No.	Wilmad	New Era	Norrell
897205-0009	506-PP-9	NE-LP5-9	-
897220-0000	-	-	-
897220-0008	-	-	-
897225-0000	507-PP-7	NE-LP5-7	S-5-200-7
897225-0008	507-PP-8	NE-LP5-8	S-5-200-8
897225-0009	507-PP-9	NE-MP5-9	-
897230-0000	526-PP-7	NE-MP5-7	S-5-300-7
897230-0008	526-PP-8	NE-MP5-8	S-5-300-8
897230-0009	526-PP-9	NE-MP5-9	-
897235-0000	527-PP-7	NE-MP5-7	S-5-400-7
897235-0008	527-PP-8	NE-MP5-8	S-5-400-8
897235-0009	527-PP-9	NE-MP5-9	-
897240-0000	528-PP-7	NE-HP5-7	S-5-500-7
897240-0008	528-PP-8	NE-HP5-8	S-5-500-8
897240-0009	528-PP-9	NE-HP5-9	-
897241-0000	535-PP-7	NE-UP5-7	S-5-600-7
897241-0008	535-PP-8	NE-UP5-8	S-5-600-8
897241-0009	535-PP-9	NE-UP5-9	-
897245-3000	541-PP-7	NE-SP5-7	S-5-800-7
897245-3008	541-PP-8	NE-SP5-8	S-5-800-8
897250-3000	542-PP-7	NE-SP5-7	S-5-900-7
897250-3008	542-PP-8	NE-SP5-8	S-5-900-8
897300-0000	-	-	-
897300-0008	-	-	-
897320-0000	513-1PP-7	-	-
897320-0008	513-1PP-8	-	-
897325-0000	513-3PP-7	NE-L10-7	-
897330-0000	513-5PP-7	NE-L10-7	C-1005-P-7
897330-0008	513-5PP-8	NE-L10-8	C-1005-P-8
897335-0000	513-7PP-7	NE-H10-7	C-1008-UP-7
897335-0008	513-7PP-8	NE-H10-8	C-1008-UP-8
897435-0000	-	NE-CAV5-178	S-5-400-JY-7
897435-0008	-	NE-CAV5-203	S-5-400-JY-8
897635-0800	513-7TRA-7	-	-
897750-0235	-	-	-
897750-0240	-	NE-HP5-TTO	-
897750-0245	-	NE-UP5-TTO	-
897800-0000	305-PS-7	-	S-3-HT-7
897800-0008	305-PS-8	-	S-3-HT-8
897805-0000	305-PS-7	-	-
897820-0008	307-PP-8	-	S-3-300-8
897825-0000	-	-	S-3-300-7
897830-0000	327-PP-7	NE-H3-7	S-3-400-7
897835-0000	328-PP-7	NE-H3-7	S-3-500-7
897835-0008	328-PP-8	NE-H3-8	S-3-500-8
897840-0000	335-PP-7	-	S-3-800-7
897840-0008	335-PP-8	-	S-3-800-8



## Contact Information



### Ordering Information

To order, contact your local distributor or the office below.

### Kimble Chase

1022 Spruce Street  
PO Box 1502  
Vineland NJ 08362-1502

### Call

1-888-546-2531 Ext. 1 (toll-free)  
(+1) 856-692-8500 Ext. 1 (international)

### Fax

(856) 692-3242 or (856) 794-9762  
(856) 691-0271

### Email

[info@kimble-chase.com](mailto:info@kimble-chase.com)

### Web

[www.kimble-chase.com](http://www.kimble-chase.com)

### Customer Service Hours

8 am - 5 pm US Eastern Standard Time



*If you don't find what you need,  
please call for assistance. Our  
customer service group will be  
glad to discuss your special  
requirements.*

Trademarks referred to herein are the property of their respective owners. Printed in USA. LR3.5Md2.5Me0311KC-1014

Prices are U.S. suggested list and subject to change without notice.